				···	,	
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	17	slider and shield same (discharg\$4 or electrostatic\$6 or static\$ or short\$3 or ESD or overvoltage\$1 or overcurrent\$1 or EOS or electric\$3 adj2 overstress\$3 or electro-static\$ or electro adj static or charge\$1 near3 buildup or charge\$1 near3 build adj up)	DERWENT; IBM_TDB	OR	ON	2005/06/24 09:15
L10	10	slider and shield same (discharg\$4 or electrostatic\$6 or static\$ or short\$3 or ESD or overvoltage\$1 or overcurrent\$1 or EOS or electric\$3 adj2 overstress\$3 or electro-static\$ or electro adj static or charge\$1 near3 buildup or charge\$1 near3 build adj up)	JPO	OR	ON	2005/06/24 09:15
L22	755	"360".clas. and shield with (ground\$3 or discharg\$4 or electrostatic\$6 or static\$ or short\$3 or ESD or overvoltage\$1 or overcurrent\$1 or EOS or electric\$3 adj2 overstress\$3 or electro-static\$ or electro adj static or charge\$1 near3 buildup or charge\$1 near3 build adj up)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/24 09:39
L23	363	22 and slider	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/24 09:41